

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.wopto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/591,376	08/31/2006	Carolynn Rae Johnson	PU040072	PU040072 7999	
Joseph J Laks	7590 02/18/201	0	EXAM	INER	
Thomson Licensing Inc			EKPO, NNEI	EKPO, NNENNA NGOZI	
Patent Operati P O BOx 5312			ART UNIT	PAPER NUMBER	
Princeton, NJ	08543-5312		2425		
			MAIL DATE	DELIVERY MODE	
			02/18/2010	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Office Action Summary

Application No.	Applicant(s)	
10/591,376	JOHNSON ET AL.	
Examiner	Art Unit	
NNENNA N. EKPO	2425	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS.

- WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  - after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).

  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
- earned patent term adjustment. See 37 CFR 1.704(b).

Status			
1)🛛	Responsive to communication(s) filed on <u>12 November 2009</u> .		
2a)⊠	This action is FINAL. 2b) ☐ This action is non-final.		
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is		
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.		

Dis	position	of	Claim
-----	----------	----	-------

1.	Certified copies of the priority documents have been received.
2.	Certified copies of the priority documents have been received in Application No
3.	Copies of the certified copies of the priority documents have been received in this National Stag
	application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

Attachr	nent(s

Attachment(s)		
Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413)	
Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date	
3) Information Displosure Statement(e) (FTO/SB/08)	Notice of Informal Patent Application	
Paper No(s)/Mail Date	6) Other:	

Application/Control Number: 10/591,376 Page 2

Art Unit: 2425

### DETAILED ACTION

## Response to Arguments

 Applicant's arguments filed 11/12/2009 have been fully considered but they are not persuasive.

2. Applicant argues on pages 6+ of the 11/12/2009 Remarks that Wasilewski et al. fails to specifically disclose "enabling the user to simultaneously select at least one device on which the reminder is designated to appear which is not capable of receiving the broadcast programming event and at least one device which is capable of receiving the broadcast programming event" As now recited in claims 1, 8 and 14.

In response to argument, Examiner respectfully disagrees. Wasilewski et al. teaches enabling the user to simultaneously select at least one device on which the reminder is designated to appear which is not capable of receiving the broadcast programming event and at least one device which is capable of receiving the broadcast programming event in fig. 8 and paragraph 0030, fig. 8 is a reminder location screen that is presented to a user in response to the selection of option 704 (set a reminder timer for ABC News) in fig. 7. A reminder Location menu 801 provides the user with reminder location options 802-804 (other set-top, this set-top, all set-top). These options 802-804 allow a user to designate one or more locations where a reminder may be provided for a desired television program. In another embodiment in paragraph 0030, Wasilewski et al. goes on to say that a user may be able to receive program reminders via a device that is not a DHCT (e.g., via a personal computer). Basically a user can set reminders both on a DHCT and also on a personal computer.

Art Unit: 2425

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior at are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

 Claims 1-14 and 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wasilewski et al. (U.S. Publication No. 2006/0161956) in view of Ellis et al. (U.S. Publication No. 2009/0044226).

Regarding claim 1, Wasilewski et al. discloses a method for customizing a reminder for a programming event comprising the steps of (see figure 10A):

providing a reminder customizer on at least a first instrument of a plurality of instruments in communication with each other, wherein the reminder customizer includes a reminder options feature (see figures 8, 10A, paragraphs 0111-0113), for permitting a user to indicate at least one of a plurality of devices on which the reminder is to appear (see figure 8, paragraphs 0109-0110); and enabling the user to simultaneously select at least one device on which the reminder is designated to appear which is not capable of receiving the broadcast programming event and at least one device which is capable of receiving the broadcast programming event in fig. 8 and paragraph 0030, fig. 8 is a reminder location screen that is presented to a user in response to the selection of option 704 (set a reminder timer for ABC News) in fig. 7. A reminder Location menu 801 provides the user with reminder location options 802-804

Art Unit: 2425

(other set-top, this set-top, all set-top). These options 802-804 allow a user to designate one or more locations where a reminder may be provided for a desired television program. In another embodiment in paragraph 0030, Wasilewski et al. goes on to say that a user may be able to receive program reminders via a device that is not a DHCT (e.g., via a personal computer). Basically a user can set reminders both on a DHCT and also on a personal computer.

indicating at least one programming event (ABC news) for which a reminder is desired (see paragraph 0104);

specifying at least one user-desired instrument (fig 8, 803 - this set-top) from the plurality of instruments (fig 8, 802, 804 - other set-top, all set-tops).

However, Wasilewski et al. fail to specifically disclose auto-tune feature is desired to be implemented.

Ellis et al. discloses auto-tune feature is desired to be implemented (see paragraph 0108).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the system and method of Wasilewski et al. to include auto-tune feature is desired to be implemented as taught by Ellis et al. for the advantage of setting reminders that will alert the user when a preselected program is about to begin or that will automatically tune to the user's set-top-box to the channel of the preselected program when the program is about to begin.

Art Unit: 2425

Regarding claim 8, Wasilewski et al. discloses a method for customizing a reminder for a programming event comprising the steps of (see figure 10A);

providing a reminder customizer on at least one a set top box (DHCT) of a plurality of set top boxes in communication with each other (see figures 8, 10A, paragraphs 0111-0113);

providing a user interface for interactive communication with said reminder customizer (fig 10A, 1000-1), said user interface providing a reminder options feature (see cited portion, but not limited to figure 10A, paragraphs 0111-0113) to permit a user to indicate at least one of a plurality of devices, capable of displaying the programming event, on which the reminder is to appear (see cited portion, but not limited to figure 8, paragraphs 0109-0110), and enabling the user to simultaneously select at least one device on which the reminder is designated to appear which is not capable of receiving the broadcast programming event and at least one device which is capable of receiving the broadcast programming event in fig. 8 and paragraph 0030, fig. 8 is a reminder location screen that is presented to a user in response to the selection of option 704 (set a reminder timer for ABC News) in fig. 7. A reminder Location menu 801 provides the user with reminder location options 802-804 (other set-top, this set-top, all set-top). These options 802-804 allow a user to designate one or more locations where a reminder may be provided for a desired television program. In another embodiment in paragraph 0030, Wasilewski et al. goes on to say that a user may be able to receive program reminders via a device that is not a DHCT (e.g., via a personal computer). Basically a user can set reminders both on a DHCT and also on a personal computer.

Art Unit: 2425

indicating at least one programming event (ABC news) for which a reminder is desired (see paragraph 0104); and

specifying at least one user-desired instrument (fig 8, 803 - this set-top) from the plurality of instruments (fig 8, 802, 804 - other set-top, all set-tops).

However, Wasilewski et al. fail to specifically disclose auto-tune feature is desired to be implemented.

Ellis et al. discloses auto-tune feature is desired to be implemented (see paragraph 0108).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the system and method of Wasilewski et al. to include auto-tune feature is desired to be implemented as taught by Ellis et al. for the advantage of setting reminders that will alert the user when a preselected program is about to begin or that will automatically tune to the user's set-top-box to the channel of the preselected program when the program is about to begin.

Regarding claim 14, Wasilewski et al. discloses an apparatus for customizing a reminder for a programming event comprising (see figure 10A):

a reminder customizer which includes a reminder options feature (see figures 7 (704), 10A, paragraphs 0111-0113) for enabling a user to indicate at least one programming event for which a reminder is desired and permitting a user to select at least one device for displaying the reminder at that device (see cited portion, but not limited to figures 7(704), 8, paragraphs 0104, 0109-0110); and

Art Unit: 2425

a customizable feature which permits the user to specify at least one userdesired set top box from a plurality of set top boxes in communication with each other (see fig 8, paragraphs 0109-0110);

a controller for controlling coupling of a decoded signal to at least one device in accordance with the user-selected reminder options (see cited portion, but not limited to figure 8, paragraphs 0109-0110) and enabling the user to simultaneously select at least one device on which the reminder is designated to appear which is not capable of receiving the broadcast programming event and at least one device which is capable of receiving the broadcast programming event in fig. 8 and paragraph 0030, fig. 8 is a reminder location screen that is presented to a user in response to the selection of option 704 (set a reminder timer for ABC News) in fig. 7. A reminder Location menu 801 provides the user with reminder location options 802-804 (other set-top, this settop, all set-top). These options 802-804 allow a user to designate one or more locations where a reminder may be provided for a desired television program. In another embodiment in paragraph 0030, Wasilewski et al. goes on to say that a user may be able to receive program reminders via a device that is not a DHCT (e.g., via a personal computer). Basically a user can set reminders both on a DHCT and also on a personal computer.

However, Wasilewski et al. fail to specifically disclose auto-tune feature is desired to be implemented.

Ellis et al. discloses auto-tune feature is desired to be implemented (see paragraph 0108).

Art Unit: 2425

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the system and method of Wasilewski et al. to include auto-tune feature is desired to be implemented as taught by Ellis et al. for the advantage of setting reminders that will alert the user when a preselected program is about to begin or that will automatically tune to the user's set-top-box to the channel of the preselected program when the program is about to begin.

Regarding claims 2 and 9, Wasilewski et al. and Ellis et al. discloses everything as claimed above (see claims 1 and 8). Wasilewski et al. discloses the method further comprising the step of providing a second instrument, said second instrument being in communication with said first instrument, wherein said at least one indicated device on which the reminder is to appear is operably connected to said second instrument (see cited portion, but not limited to figs 1A-1C, paragraphs 0026-0030).

Regarding claims 3, 10 and 16, Wasilewski et al. and Ellis et al. discloses everything claimed as applied above (see claims 1, 8 and 14). Wasilewski et al. discloses setting a date and time for a reminder (see cited portion, but not limited to paragraph 0065).

Ellis et al. discloses the at least one indicated programming event for which the reminder is desired, is automatically tuned to on the at least one specified user-desired instrument at a desired time (see paragraph 0112).

Art Unit: 2425

Regarding claims 4 and 11, Wasilewski et al. and Ellis et al. discloses everything as claimed above (see claims 1 and 8). Wasilewski et al. discloses the method wherein if the user does not indicate the device on which the reminder is to appear, further comprising the step of activating a default mode (see paragraphs 0104-0108).

Regarding claims 5 and 12, Wasilewski et al. and Ellis et al. discloses everything as claimed above (see claims 1 and 8). Wasilewski et al. discloses the method wherein the default mode is customizable by the user (see paragraph 0110).

Regarding claims 6, 13 and 17, Wasilewski et al. and Ellis et al. discloses everything as claimed above (see claims 1, 8 and 14). Wasilewski et al. discloses the method wherein the device comprises at least one of a television, PDA, computer, cellular phone and landline phone (see paragraph 0030).

Regarding claim 7, Wasilewski et al. and Ellis et al. discloses everything as claimed above (see claim 1). Wasilewski et al. discloses the method wherein the first instrument (200-1), comprises a receiver (see paragraphs 0026-0027).

Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over
 Wasilewski et al. (U.S. Publication No. 2006/0161956) and Ellis et al. (U.S. Publication

Art Unit: 2425

No. 2009/0044226) as applied to *claim 14* above, and further in view of Ellis et al. (U.S. Publication No. 2005/0235322).

Regarding **claim 15**, Wasilewski et al. and Ellis et al. ('226) discloses everything claimed as applied above (see **claim 14**). However, Wasilewski et al. and Ellis et al. ('226) fail to specifically disclose the apparatus further comprising a decoder for providing the decoded signal from an input signal.

Ellis et al. ('322) discloses the apparatus further comprising a decoder for providing the decoded signal from an input signal (see paragraph 0039, lines 16-24).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the systems and methods of Wasilewski et al. and Ellis et al. ('226) to include a decoder for providing the decoded signal from an input signal as taught by Ellis et al. ('322) for the advantage of extracting the portion desirable to the user.

 Claims 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wasilewski et al. (U.S. Publication No. 2006/0161956) and Ellis et al. (U.S. Publication No. 2009/0044226) as applied to *claims 1, 8 and 14* above, and further in view of Knudson et al. (U.S. Publication No. 2008/0184313).

Regarding **claims 18, 19 and 20,** Wasilewski et al. and Ellis et al. discloses everything as claimed above (see *claims 1, 8 and 14*). However, Wasilewski et al. and Ellis et al. fails to specifically disclose the method further comprising the step of indicating a desired frequency of the reminder.

Art Unit: 2425

Knudson et al. discloses the method further comprising the step of indicating a desired frequency of the reminder (see paragraph 0059, lines 1-5, paragraph 0108, lines 15-18).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the systems and methods of Wasilewski et al. and Ellis et al. to include the step of indicating a desired frequency of the reminder as taught by Knudson et al. for the advantage of allowing a user to indicate how soon the scheduled program or reminder messages are to be generated and displayed to the

#### Conclusion

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2425

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NNENNA N. EKPO whose telephone number is (571)270-1663. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian T. Pendleton can be reached on 571-272-7527. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Nnenna Ekpo/ Patent Examiner, Art Unit, 2425 February 2, 2010.

/Brian T. Pendleton/ Supervisory Patent Examiner, Art Unit 2425